Table of contents, Volume 29, 2002

Abs-Wurmbach I, Ohmann S, Westerholt K, Meier Th, Mouron P, Choisnet J: Magnetic phase diagrams of Mg-, Fe-, (Cu + Ti)- and Cu-substituted braunite $Mn^{2+}Mn_6^{3+}SiO_{12}$ 280
Aggarwal S, Dieckmann R: Point defects and cation tracer diffusion in $(Ti_xFe_{1-x})_{3-\delta}O_4$ I. Non-stoichiometry and point defects 695
Aggarwal S, Dieckmann R: Point defects and cation tracer diffusion in $(Ti_xFe_{1-x})_{3-\delta}O_4$. II. Cation tracer diffusion 707
Aikawa N → Shinoda K
Allard T → Balan E
Amthauer G → Lottermoser W
Andreozzi GB → Hålenius U
Andrut M, Wildner M: The crystal chemistry of birefringent natural uvarovites. Part III. Application of the superposition model of crystal fields with a characterization of synthetic cubic uvarovite 595

Bøtter-Jensen L → Poolton NRJ
Bagautdinov B, Hagiya K, Noguchi S, Ohmasa M, Ikeda N, Kusaka K, Iishi K: Low-temperature studies on the two-dimensional modulations in åkermanite-type crystals: $Ca_2MgSi_2O_7$ and $Ca_2ZnSi_2O_7$ 346
Balan E, Allard T, Morin G, Calas G: Incorporation of Cr^{3+} in dickite: a spectroscopic study 273
Bancroft GM → Nesbitt HW
Barrón V → da Costa GM
Bats JW → Lottermoser W
Becker KD → Ullrich K
Becker U, Pollok K: Molecular simulations of interfacial and thermodynamic mixing properties of grossular–andradite garnets 52
Belitsky IA → Paukov IE
Belokoneva EL, Gubina Yu K, Forsyth JB, Brown PJ: The charge-density distribution, its multipole refinement and the antiferromagnetic structure of disptase, $Cu6[Si_6O_{18}]\cdot 6N_2O$ 430
Beran A → Voll D
Boisen Jr MB → Downs RT
Boisen Jr MB → Gibbs GV
Borchardt G → Wondraczek L
Boscherini F → Quartieri S
Bouhifd MA, Gruener G, Mysen BO, Richet P: Premelting and calcium mobility in gehlenite ($Ca_2Al_2SiO_7$) and pseudowollastonite ($CaSiO_3$) 655
Brown PJ → Belokoneva EL

Bulbak TA, Shvedenkov GYu, Lepezin GG: On saturation of magnesian cordierite with alkanes at high temperatures and pressures 140
Bulur E → Poolton NRJ

Cámara F, Carpenter MA, Domeneghetti MC, Tazzoli V: Non-convergent ordering and displacive phase transition in pigeonite: in situ HT XRD study 331
Calas G → Balan E
Carbonin S, Martignago F, Menegazzo G, Dal Negro A: X-ray single-crystal study of spinels: in situ heating 503
Carpenter MA → Cámara F
Chaboy J → Quartieri S
Choisnet J → Abs-Wurmbach I
Chopelas A, Serghiou G: Spectroscopic evidence for pressure-induced phase transitions in diopside 403
Comodi P, Gatta GD, Zanazzi PF, Levy D, Crichton W: Thermal equations of state of dioctahedral micas on the join muscovite–paragonite 538
Constable S, Duba A: Diffusion and mobility of electrically conducting defects in olivine 446
Cox DF → Gibbs GV
Crawford TD → Gibbs GV
Crichton W → Comodi P
Cruciani G → Sani A

da Costa GM, Van San E, De Grave E, Vandenberghe RE, Barrón V, Datas L: Al hematites prepared by homogeneous precipitation of oxinates: material characterization and determination of the Morin transition 122
da Costa GM → Viana RR
Dal Negro A → Carbonin S
Dalconi MC → Quartieri S
Datas L → da Costa GM
De Grave E → da Costa GM
De Grave E → Viana RR
de Ligny D, Richet P, Westrum Jr EF, Roux J: Heat capacity and entropy of rutile (TiO_2) and nepheline ($NaAlSiO_4$) 267
Della Giusta A → Lavina B
Dieckmann R → Tsai T-L
Dieckmann R → Aggarwal S
Aggarwal S, Dieckmann R: Point defects and cation tracer diffusion in $(Ti_xFe_{1-x})_{3-\delta}O_4$. II. Cation tracer diffusion 705
Domeneghetti MC → Cámara F
Downs RT, Gibbs GV, Boisen Jr MB, Rosso KM: A comparison of procrystal and ab initio model representations of the electron-density distributions of minerals 369

Duba A → Constable S
Duffy TS → Speziale S

Elzinga EJ → Lee YJ
Eremets M → Li J
Evans BJ → Majzlan J

Fei Y → Li J
Fleet ME → Henderson GS
Forsyth JB → Belokoneva EL
Fukuda T → Yamanaka T
Fukuoka K → Shimada Y
Funakoshi K → Suzuki A
Funakoshi K → Irifune T

Gasparik T: Experimental investigation of the origin of majoritic garnet inclusions in diamonds 170
Gatta GD → Comodi P
Geiger CA → Taran MN
Geisler T: Isothermal annealing of partially metamict zircon: evidence for a three-stage recovery process 420
Ghosh D → Jenkins DM
Gibbs GV → Downs RT
Gibbs GV, Cox DF, Crawford TD, Boisen Jr MB, Lim M: A mapping of the electron localization function for the silica polymorphs: evidence for domains of electron pairs and sites of potential electrophilic attack 307
Gillet P → Merkel S
Gottschalk M → Seydoux-Guillaume AM
Gournis D, Karakassides MA, Petridis D: Formation of hydroxyl radicals catalyzed by clay surfaces 155
Gregoryanz E → Li J
Grodzicki M → Lottermoser W
Gruener G → Bouhifd MA
Gualtieri AF → Sani A
Gubina Yu K → Belokoneva EL

Hålenius U, Skogby H, Andreozzi GB: Influence of cation distribution on the optical absorption spectra of Fe^{3+}-bearing spinel *s.s.*–hercynite crystals: evidence for electron transitions in $^{VI}Fe^{2+}$–$^{VI}Fe^{3+}$ clusters 319
Höche T → Withers RL
Höfer M, Schilling FR: Heat transfer in quartz, orthoclase, and sanidine at elevated temperature 571
Hagiya K → Bagautdinov B
Hattori T, Mimaki J, Yamanaka T: Molecular orbital study on the onset of the pressure-induced transformations of the metastably compressed germanates 261
Heide G → Wondraczek L
Heinrich W → Seydoux-Guillaume AM

Hemley RJ → Merkel S
Henderson CMB → Reece JJ
Henderson GS, Liu X, Fleet ME: A Ti *L*-edge X-ray absorption study of Ti-silicate glasses 32
Hirose K → Ono S
Hosoya S → Lottermoser W

Iishi K → Bagautdinov B
Ikeda N → Bagautdinov B
Inoue T → Liu L
Inoue T → Irifune T
Irifune T, Naka H, Sanehira T, Inoue T, Funakoshi K: In situ X-ray observations of phase transitions in $MgAl_2O_4$ spinel to 40 GPa using multianvil apparatus with sintered diamond anvils 645
Ishida K → Jenkins DM
Ishizawa N → Shimada Y
Isshiki M → Ono S

Jackson RA → Wondraczek L
Janeczek J → Malczewski D
Jenkins DM, Ishida K, Liogys V, Ghosh D: Cation distribution in amphiboles synthesized along the Ga analogue of the tremolite-aluminotschermakite join 87
Jephcoat AP → Kleppe AK
Jephcoat AP → Merkel S
Jiang K → Lottermoser W
Jin MZ → Li Z
Jordt-Evangelista H → Viana RR
Jordt-Evangelista H → Viana RR

Kahlenberg V → Rakić S
Kaneko H → Okada T
Karakassides MA → Gournis D
Kawamoto T → Shinoda K
Khisina NR, Wirth R: Hydrous olivine $(Mg_{1-y}Fe^{2}_{y})^{+}_{2-x}\ v_xSiO_4H_{2x}$ – a new DHMS phase of variable composition observed as nanometer-sized precipitations in mantle olivine 98
Khomenko VM, Langer K, Wirth R, Weyer B: Mie scattering and charge transfer phenomena as causes of the UV edge in the absorption spectra of natural and synthetic almandine garnets 201
Kikuchi M → Shimada Y
Kilo M → Wondraczek L
Kimata M → Kyono A
Kimura H → Shinoda K
Klemme S, van Miltenburg JC: Thermodynamic properties of nickel chromite ($NiCr_2O_4$) based on adiabatic calorimetry at low temperatures 663
Kleppe AK, Jephcoat AP, Smyth JR: Raman spectroscopic study of hydrous γ-Mg_2SiO_4 to 56.5 GPa 473
Knight KS → Vočadlo L
Kondo Y → Shinoda K
Kovalevskaya YuA → Paukov IE
Kubo T → Suzuki A
Kudoh Y: Predicted model for hydrous modified olivine (HyM-α) 387
Kusaka K → Bagautdinov B
Kyono A, Kimata M, Matsuhisa M, Miyashita Y, Okamoto K: Low-temperature crystal structures of stibnite implying orbital overlap of Sb $5s^2$ inert pair electrons 254

Langer K → Khomenko VM
Langer K → Taran MN
Langer K → Ullrich K
Lavina B, Salviulo G, Della Giusta A: Cation distribution and structure modelling of spinel solid solutions 10
Lee YJ, Reeder RJ, Wenskus RW, Elzinga EJ: Structural relaxation in the $MnCO_3$–$CaCO_3$ solid solution: a Mn *K*-edge EXAFS study 585
Lepezin GG → Bulbak TA
Levy D → Comodi P
Li J, Mao HK, Fei Y, Gregoryanz E, Eremets M, Zha CS: Compression of Fe_3C to 30 GPa at room temperature 166
Li Z, Ping JY, Jin MZ, Liu ML: Distribution of Fe^{2+} and Fe^{3+} and next-nearest neighbour effects in natural chromites: comparison between results of QSD and Lorentzian doublet analysis 485
Liebscher B → van Aken PA
Likhacheva AYu, Paukshtis EA, Seryotkin YuV, Shulgenko SG: IR spectroscopic characterization of NH_4-analcime 617
Lim M → Gibbs GV
Lin C-C → Liu L
Liogys V → Jenkins DM
Liu L, Lin C-C, Mernagh TP, Inoue T: Raman spectra of hydrous γ–Mg_2SiO_4 at various pressures and temperatures 181
Liu ML → Li Z
Liu X → Henderson GS
Liu Y → Withers RL
Lottermoser W, Steiner K, Grodzicki M, Jiang K, Scharfetter G, Bats JW, Redhammer G, Treutmann W, Hosoya S, Amthauer G: The electric field gradient in synthetic fayalite α-Fe_2SiO_4 at moderate temperatures 112

Magela da Costa G → Viana RR
Majzlan J, Navrotsky A, Evans BJ: Thermodynamics and crystal chemistry of the hematite–corundum solid solution and the $FeAlO_3$ phase 515
Malczewski D, Janeczek J: Activation energy of annealed metamict gadolinite from ^{57}Fe Mössbauer spectroscopy 226
Man H-K → Merkel S
Mao HK → Li J
Martignago F → Carbonin S
Mashkovtsev RI, Solntsev VP: Channel constituents in synthetic beryl: ammonium 65
Matsuhisa M → Kyono A
McCammon CA → Reece JJ
McDonnell RD, Spiers CJ, Peach CJ: Fabrication of dense forsterite–enstatite polycrystals for experimental studies 19
Meier Th → Abs-Wurmbach I
Menegazzo G → Carbonin S
Merkel S, Jephcoat AP, Shu J, Man H-K, Gillet P, Hemley RJ: Equation of state, elasticity, and shear strength of pyrite under high pressure 1
Merli M, Pavese A, Ranzini M: Study of the electron density in MgO, $(Mg_{0.963}Fe_{0.037})O$ and Cu_2O by the maximum entropy method and multipole refinements: comparison between methods 455
Mernagh TP → Liu L
Mibe K → Ono S
Mimaki J → Hattori T
Miyajima N → Takafuji N
Miyashita Y → Kyono A
Miyoshi N → Shinoda K
Montel JM → Seydoux-Guillaume AM
Mookherjee M → Zhang M
Morin G → Balan E
Moriwaki T → Shinoda K
Moroz NK → Paukov IE
Mouron P → Abs-Wurmbach I
Murray AS → Poolton NRJ
Murray AS → Poolton NRJ
Mysen BO → Bouhifd MA

Naka H → Irifune T
Nanba T → Shinoda K
Nasdala L → Seydoux-Guillaume AM
Navrotsky A → Majzlan J
Nedeljkovic N → Wondraczek L
Nesbitt HW, Schaufuss AG, Bancroft GM, Szargan R: Crystal orbital contributions to the pyrrhotite valence band with XPS evidence for weak Fe–Fe π bond formation 72
Niimi N → Shinoda K
Noguchi S → Bagautdinov B

Oberti R → Quartieri S
Ohmann S → Abs-Wurmbach I
Ohmasa M → Bagautdinov B
Ohtani E → Suzuki A
Okada T, Utsumi W, Kaneko H, Yamakata M, Shimomura O: In situ X-ray observations of the decomposition of brucite and the graphite–diamond conversion in aqueous fluid at high pressure and temperature 439
Okamoto K → Kyono A
Okuno M → Shimada Y
Ono S, Hirose K, Isshiki M, Mibe K, Saito Y: Equation of state of hexagonal aluminous phase in basaltic composition to 63 GPa at 300 K 527
Ozanyan KB → Poolton NRJ

Paukov IE, Moroz NK, Kovalevskaya YuA, Belitsky IA: Low-temperature thermodynamic properties of disordered zeolites of the natrolite group 300
Paukshtis EA → Likhacheva AYu
Pavese A → Merli M
Pavese A: Pressure–volume–temperature equations of state: a comparative study based on numerical simulations 43
Peach CJ → McDonnell RD
Petridis D → Gournis D
Ping JY → Li Z
Piriou B → Zotov N
Pollok K → Becker U
Poolton NRJ, Wallinga J, Murray AS, Bulur E, Bøtter-Jensen L: Electrons in feldspar I: on the wavefunction of electrons trapped at simple lattice defects 210
Poolton NRJ, Ozanyan KB, Wallinga J, Murray AS, Bøtter-Jensen L: Electrons in feldspar II: a consideration of the influence of conduction band-tail states on luminescence processes 217

Prencipe M: Ab initio Hartree–Fock study and charge density analysis of beryl ($Al_4Be_6Si_{12}O_{36}$) 552
Price GD → Vočadlo L

Quartieri S, Boscherini F, Chaboy J, Dalconi MC, Oberti R, Zanetti A: Characterization of trace Nd and Ce site preference and coordination in natural melanites: a combined X-ray diffraction and high-energy XAFS study 495

Rakić S, Kahlenberg V, Weidenthaler C, Zibrowius B: Structural characterization of high-pressure C–$Na_2Si_2O_5$ by single-crystal diffraction and ^{29}Si MAS NMR 477
Ranzini M → Merli M
Redfern SAT → Reece JJ
Redhammer G → Lottermoser W
Redhammer GJ → Zhang M
Reece JJ, Redfern SAT, Welch MD, Henderson CMB, McCammon CA: Temperature-dependent Fe^{2+}–Mn^{2+} order–disorder behaviour in amphiboles 562
Reeder RJ → Lee YJ
Richet P → de Ligny D
Richet P → Bouhifd MA
Rosso KM → Downs RT
Roux J → de Ligny D

Saito Y → Ono S
Salje EKH → Zhang M
Salviulo G → Lavina B
Sanehira T → Irifune T
Sani A, Cruciani G, Gualtieri AF: Dehydration dynamics of Ba-phillipsite: an in situ synchrotron powder diffraction study 351
Scharfetter G → Lottermoser W
Schaufuss AG → Nesbitt HW
Schilling FR → Höfer M
Serghiou G → Chopelas A
Seryotkin YuV → Likhacheva AYu
Seydoux-Guillaume AM, Wirth R, Nasdala L, Gottschalk M, Montel JM, Heinrich W: An XRD, TEM and Raman study of experimentally annealed natural monazite 240
Shimada Y, Okuno M, Syono Y, Kikuchi M, Fukuoka K, Ishizawa N: An X-ray diffraction study of shock-wave-densified SiO_2 glasses 233
Shimomura O → Okada T
Shinoda K, Yamakata M, Nanba T, Kimura H, Moriwaki T, Kondo Y, Kawamoto T, Niimi N, Miyoshi N, Aikawa N: High-pressure phase transition and behavior of protons in brucite $Mg(OH)_2$: a high-pressure–temperature study using IR synchrotron radiation 396
Shu J → Merkel S
Shulgenko SG → Likhacheva AYu
Shvedenkov GYu → Bulbak TA
Skogby H → Hålenius U
Smyth JR → Kleppe AK
Solntsev VP → Mashkovtsev RI
Speziale S, Duffy TS: Single-crystal elastic constants of fluorite (CaF_2) to 9.3 GPa 465
Spiers CJ → McDonnell RD
Steiner K → Lottermoser W
Stern WB → Viana RR
Stern WB → Viana RR
Sumita T → Takafuji N
Suzuki A, Ohtani E, Funakoshi K, Terasaki H, Kubo T: Viscosity of albite melt at high pressure and high temperature 159
Syono Y → Shimada Y
Szargan R → Nesbitt HW

Tabira Y → Withers RL
Takafuji N, Yagi T, Miyajima N, Sumita T: Study on Al_2O_3 content and phase stability of aluminous-$CaSiO_3$ perovskite at high pressure and temperature 532
Taran MN, Langer K, Geiger CA: Single-crystal electronic absorption spectroscopy of synthetic chromium-, cobalt-, and vanadium-bearing pyropes at different temperatures and pressures 362
Tazzoli V → Cámara F
Terasaki H → Suzuki A
Treutmann W → Lottermoser W
Tsai T-L, Dieckmann R: Variation of the oxygen content and point-defects in olivines, $(Fe_xMg_{1-x})_2SiO_4$, $0.2 \le x \le 1.0$ 680
Tsuchiya J → Yamanaka T

Ullrich K, Langer K, Becker KD: Temperature dependence of the polarized electronic absorption spectra of olivines. Part I – fayalite 409
Utsumi W → Okada T

van Aken PA, Liebscher B: Quantification of ferrous/ferric ratios in minerals: new evaluation schemes of Fe L_{23} electron energy-loss near-edge spectra 188
van Miltenburg JC → Klemme S
Van San E → da Costa GM
Vandenberghe RE → da Costa GM
Viana RR, Jordt-Evangelista H, Magela da Costa G, Stern WB: Characterization of beryl (aquamarine variety) from pegmatites of Minas Gerais, Brazil 668
Viana RR, da Costa GM, De Grave E, Jordt-Evangelista H, Stern WB: Characterization of beryl (aquamarine variety) by Mössbauer spectroscopy 78
Vočadlo L, Knight KS, Price GD, Wood IG: Thermal expansion and crystal structure of FeSi between 4 and 1173 K determined by time-of-flight neutron powder diffraction 132
Voll D, Beran A: Dehydration process and structural development of cordierite ceramic precursors derived from FTIR spectroscopic investigations 545

Wallinga J → Poolton NRJ
Weidenthaler C → Rakić S
Welch MD → Reece JJ
Wenskus RW → Lee YJ
Westerholt K → Abs-Wurmbach I
Westrum Jr EF → de Ligny D
Weyer B → Khomenko VM
Wildner M → Andrut M
Wirth R → Khisina NR
Wirth R → Khomenko VM
Wirth R → Seydoux-Guillaume AM
Withers RL, Tabira Y, Liu Y, Höche T: A TEM and RUM study of the inherent displacive flexibility of the fresnoite framework structure type 624
Wondraczek L, Heide G, Kilo M, Nedeljkovic N, Borchardt G, Jackson RA: Computer simulation of defect structure in sillimanite and mullites 341
Wood IG → Vočadlo L

Yagi T → Takafuji N
Yamakata M → Shinoda K
Yamakata M → Okada T
Yamanaka T, Fukuda T, Tsuchiya J: Bonding character of SiO_2 stishovite under high pressures up to 30 Gpa 633
Yamanaka T → Hattori T
Yanev Y → Zotov N

Zanazzi PF → Comodi P
Zanetti A → Quartieri S
Zha CS → Li J
Zhang M, Redhammer GJ, Salje EKH, Mookherjee M: $LiFeSi_2O_6$ and $NaFeSi_2O_6$ at low temperatures: an infrared spectroscopic study 609
Zibrowius B → Rakić S
Zotov N, Yanev Y, Piriou B: Time-resolved luminescence of Fe^{3+} and Mn^{2+} ions in hydrous volcanic glasses 291